



Office and decoration magnets



Function

The name says it all. Office magnets and decoration magnets are perfect for a clear and decorative arrangement of photos, notices and all kinds of items.

Use

The magnets can be used anywhere. While at home or office they are an organizational eye-catcher on whiteboards, glass boards, refrigerators or walls coated with magnetic paint, they ensure secure and discrete fixing of goods, posters and price tags in shops and trade fair booths.

Product range

Now it is up to you. Our standard range comprises a wide selection of different types of office and decoration magnets. Which magnet is the best choice depends on the application as well as the personal taste.



Product range

Available
at short notice

Office magnets


Office magnet made of hard ferrite with coloured plastic housing, round



- Standard colours: red, blue, yellow, white, black
- On request: square or rectangular housing, other colours, individual printing

Part number	Colour	D mm	H mm	Holding force* N	Weight g	Packaging unit
M40001500B295U	red	30	7.8	10	14	10 pieces
M40001600B295U	blue	30	7.8	10	14	10 pieces
M40001700B295U	yellow	30	7.8	10	14	10 pieces
M40001800B295U	white	30	7.8	10	14	10 pieces
M40001900B295U	black	30	7.8	10	14	10 pieces

Office magnet made of NdFeB with coloured plastic housing, round




- Standard colours: red, blue, yellow, white, black
- Magnets with diameter < 25 mm have no plastic ring on the adhesive surface
- On request: square or rectangular housing, other colours, individual printing

Part number	Colour	D mm	H mm	Holding force* N	Weight g	Packaging unit
M40000500B295U	red	18	8	10	3	10 pieces
M40000600B295U	blue	18	8	10	3	10 pieces
M40000700B295U	yellow	18	8	10	3	10 pieces
M40000800B295U	white	18	8	10	3	10 pieces
M40000900B295U	black	18	8	10	3	10 pieces
M40001000B295U	red	30	7.5	27	8	10 pieces
M40001100B295U	blue	30	7.5	27	8	10 pieces
M40001200B295U	yellow	30	7.5	27	8	10 pieces
M40001300B295U	white	30	7.5	27	8	10 pieces
M40001400B295U	black	30	7.5	27	8	10 pieces

* The holding forces are ascertained using an even polished plate of steel (S235JR acc. DIN 10 025) with a thickness of 10 mm by the vertical withdrawal of the magnet at room temperature. Small cracks in the magnet material do not affect the holding force. Deviations up to minus 10 % are possible in some instances. The data given relates to minimum values which are normally exceeded.

Glass board magnet made of NdFeB with coloured plastic housing, round, adhesive on both sides



- Usable on both sides (e.g for pens, scissors, paper clips)
- Easy to remove thanks to the grip edge
- On request: other colours, individual printing, higher holding force

Part number	Colour	D mm	H mm	Holding force* N	Packaging unit
M40002000B295U	red	25	6	4	5 pieces
M40002100B295U	blue	25	6	4	5 pieces
M40002200B295U	yellow	25	6	4	5 pieces
M40002300B295U	green	25	6	4	5 pieces
M40002400B295U	black	25	6	4	5 pieces

Glass board magnet made of NdFeB with coloured plastic housing, cylindrical



- Easy to grip and easy to remove
- Good holding force with small diameter
- Standard colours (transparent): red, blue, yellow, green, black
- On request: other colours, higher holding force

Part number	Colour	D mm	H mm	Holding force* N	Packaging unit
M40002500B295U	red	14	17.7	4	5 pieces
M40002600B295U	blue	14	17.7	4	5 pieces
M40002700B295U	yellow	14	17.7	4	5 pieces
M40002800B295U	green	14	17.7	4	5 pieces
M40002900B295U	black	14	17.7	4	5 pieces

* The holding forces are ascertained using an even polished plate of steel (S235JR acc. DIN 10 025) with a thickness of 10 mm by the vertical withdrawal of the magnet at room temperature. Small cracks in the magnet material do not affect the holding force. Deviations up to minus 10 % are possible in some instances. The data given relates to minimum values which are normally exceeded.

Grip magnet made of NdFeB with coloured plastic housing



- Easy to grip and easy to remove
- Very good holding force with small diameter
- Standard colours: red, blue, yellow, white, black
- On request: other colours

Part number	Colour	D mm	H mm	Holding force* N	Weight g	Packaging unit
M40020100B295U	red	17	22.5	35	7.5	5 pieces
M40020200B295U	blue	17	22.5	35	7.5	5 pieces
M40020300B295U	yellow	17	22.5	35	7.5	5 pieces
M40020400B295U	white	17	22.5	35	7.5	5 pieces
M40020500B295U	black	17	22.5	35	7.5	5 pieces

Office magnet made of NdFeB with metal housing, matt nickel-plated



- Noble design
- Very high holding force. Of particular note when placing directly on metal.
- Ideal for use on walls coated with magnetic paint or magnetic plaster
- On request: painting in other colours

Part number	D mm	H mm	Holding force* N	Weight g	Packaging unit
M17069000B972U	19	7	85	12	10 pieces
M17069100B972U	23	7.5	130	20	10 pieces
M17069200B972U	29	8	160	32	10 pieces

* The holding forces are ascertained using an even polished plate of steel (S235JR acc. DIN 10 025) with a thickness of 10 mm by the vertical withdrawal of the magnet at room temperature. Small cracks in the magnet material do not affect the holding force. Deviations up to minus 10 % are possible in some instances. The data given relates to minimum values which are normally exceeded.

Grip magnets made of NdFeB with metal housing



- Magnets in noble design
- Optical highlight on whiteboards and memoboards
- High holding force

M40000200B295U

M40000300B295U

M40000400B295U

M40020600B295U

Part number	D mm	H mm	Holding force* N	Weight g	Version	Packaging unit
M40000200B295U	12	16	55	7		4 pieces
M40000300B295U	12	16	16	3.6	rubber-coated adhesive surface	4 pieces
M40000400B295U	8	16	17	3.5		5 pieces
M40020600B295U	8	20	17	6		5 pieces

Office magnet made of NdFeB with aluminium housing, rubber-coated adhesive surface



- Magnet in noble design
- Optical highlight on whiteboards and memoboards
- Easy to grip thanks to the grip edge
- Rubber-coated adhesive surface protects the underground against scratching
- High holding force


Part number	D mm	H mm	Holding force* N	Weight g	Packaging unit
M40020700B295U	20	20	37	20	4 pieces

* The holding forces are ascertained using an even polished plate of steel (S235JR acc. DIN 10 025) with a thickness of 10 mm by the vertical withdrawal of the magnet at room temperature. Small cracks in the magnet material do not affect the holding force. Deviations up to minus 10 % are possible in some instances. The data given relates to minimum values which are normally exceeded.

Decoration magnets

Decoration magnet made of hard ferrite with hook, white painted







- Secure fixing through good holding force
- Decorative
- Discreetly usable
- On request: Painting in other colours, ring eyelet, higher holding force

Part number	D mm	H mm	Thread M	Holding force* N	Weight g
M17073600B229U	20	25.6	M3	30	12
M17073800B229U	32	30.5	M4	80	34
M17074000B229U	40	30.8	M4	125	59
M17074200B229U	50	32.7	M4	220	107
M17074400B229U	63	36.8	M4	350	232

Decoration magnet made of hard ferrite with white plastic housing and hook or eyelet








- Secure fixing through good holding force
- Decorative
- Discreetly usable

Part number	D mm	H mm	Holding force* N	Weight g	Version
M40018800B229U	43	37	120	84	Hook
M40018900B229U	43	31	120	81	Eyelet

* The holding forces are ascertained using an even polished plate of steel (S235JR acc. DIN 10 025) with a thickness of 10 mm by the vertical withdrawal of the magnet at room temperature. Small cracks in the magnet material do not affect the holding force. Deviations up to minus 10 % are possible in some instances. The data given relates to minimum values which are normally exceeded.


Sandwich magnet made of hard ferrite with white plastic housing and hook or eyelet, square or rectangular



- Discrete fixing with high holding force


Part number	L mm	B mm	H mm	Holding force* N	Weight g	Version
M17071500B277U	53	27.5	28	180	53	Hook
M40017600B229U	34	29	35	100	35	Hook
M40017700B229U	42	14	37	55	30	Hook
M40017800B229U	57	15	39	115	54	Hook
M40017900B229U	19	14	30	20	12	Eyelet
M40018000B229U	58	58	41.5	300	130	Eyelet

Sandwich magnet made of hard ferrite with different adapter holders for poster frames




M40018100B229U


- Discrete fixing with high holding force
- Especially for the fixing of poster frames
- 5 different adapter holders




M40018200B229U



M40018300B229U



M40018400B229U



M40018500B229U

Part number	L mm	B mm	H mm	Holding force* N	Weight g	Version
M40018100B229U	34	29	27.5	100	34	Adapter vertical, narrow opening
M40018200B229U	34	29	24.5	100	34	Adapter horizontal, narrow opening
M40018300B229U	34	29	27	100	34	Adapter vertical, wide opening
M40018400B229U	34	29	28	100	35	Adapter horizontal, wide opening
M40018500B229U	34	29	38.5	100	36	Adjustable adapter 180°

* The holding forces are ascertained using an even polished plate of steel (S235JR acc. DIN 10 025) with a thickness of 10 mm by the vertical withdrawal of the magnet at room temperature. Small cracks in the magnet material do not affect the holding force. Deviations up to minus 10 % are possible in some instances. The data given relates to minimum values which are normally exceeded.



- ➞ Contact us if you need other dimensions, colours, types or an individual print. Other versions of office and decoration magnets are quickly available on request.
- ➞ In addition to our range of standard products, we also develop individual solutions for your custom applications and new ideas.
- ➞ We will be happy to assist you in selecting the magnet that is best suited to your individual application.

General information

The statements are in no way to be deemed as an advisory service of our company, but are only descriptive without guaranteeing or granting property-related qualities. Liability on the basis of the statements of this product information is specifically excluded, unless compelling legal liability facts are evident. All information is correct to the best of our knowledge, but no responsibility will be taken for any errors. We reserve the right to make technical changes. Reproduction in any form, including extracts, only with the express permission of thyssenkrupp Magnettechnik.

Contact

thyssenkrupp Magnettechnik
Branch of thyssenkrupp Schulte GmbH
Am Hellweg 7
44805 Bochum, Germany
T: +49 234 622014-00
www.thyssenkrupp-magnettechnik.com
magnet@thyssenkrupp-materials.com