

Automatenstahl**Flach**

| Abmessung | | 11SMn30 +C | 11SMn30 +C +SR |
|------------------|----|-------------------|-----------------------|
| 85 | 32 | • | |
| 100 | 32 | • | |
| 120 | 25 | • | • |

**Automatenstahl
Rund**

| Abmessung | 11SMn30 +C/+S5MnPb30 +C/+ | 46S20 +C | 60S20Pb +C | 60S20Pb +SL |
|-----------|---------------------------|----------|------------|-------------|
| 2 | | | | • |
| 2,5 | | | | • |
| 3 | | | | • |
| 4 | | | | • |
| 4,5 | | | | • |
| 5 | • | | | • |
| 6 | • | | | • |
| 7 | • | | | • |
| 8 | • | | | • |
| 8,5 | | | | • |
| 9 | • | | | • |
| 10 | • | | | • |
| 10,5 | | | | • |
| 11 | • | | | • |
| 11,3 | | | | • |
| 11,5 | | | | • |
| 12 | • | | | • |
| 13 | • | | | • |
| 14 | • | | | • |
| 15 | • | | | • |
| 16 | • | | | • |
| 17 | • | | | • |
| 18 | • | | | • |
| 19 | • | | | • |
| 20 | • | • | | • |
| 21 | • | | | • |
| 22 | • | | • | • |
| 23 | • | | | • |
| 24 | • | | | • |
| 25 | • | | | • |
| 26 | | | | • |
| 27 | | | | • |
| 28 | • | | | • |
| 29 | | | | • |
| 30 | • | | | • |
| 31 | • | | | • |
| 32 | • | | | • |
| 33 | • | | | • |
| 34 | • | | | • |
| 35 | • | | | • |
| 36 | • | | | • |
| 37 | | | | • |
| 38 | • | | | • |
| 39 | | | | • |
| 40 | • | | | • |
| 42 | • | | | • |
| 43 | • | | | • |
| 44 | • | | | • |
| 45 | • | | | • |

**Automatenstahl
Rund**

| Abmessung | 11SMn30 +C/+S | Mn30 +C/+ | 46S20 +C | 60S20Pb +C | 60S20Pb +SL |
|-----------|---------------|-----------|----------|------------|-------------|
| 46 | • | • | | | |
| 48 | • | • | | | |
| 50 | • | • | • | | |
| 52 | • | • | • | | |
| 55 | • | • | | | |
| 56 | • | • | | | |
| 58 | | • | | | |
| 60 | • | • | • | | |
| 62 | • | • | | | |
| 63 | • | | | | |
| 65 | • | • | | | |
| 68 | • | | | | |
| 70 | • | • | | | |
| 75 | • | • | | | |
| 80 | • | • | | | |
| 85 | | • | | | |
| 90 | • | • | | | |
| 95 | • | • | | | |
| 100 | • | • | | | |
| 105 | • | • | | | |
| 110 | • | • | | | |
| 115 | • | • | | | |
| 120 | • | • | | | |
| 125 | • | • | | | |
| 130 | • | • | | | |
| 140 | • | | | | |
| 150 | • | • | | | |
| 160 | • | | | | |
| 180 | • | | | | |
| 190 | • | | | | |
| 200 | • | | | | |

Automatenstahl**Vierkant**

| Abmessung | 11SMn30 +C | 11SMnPb30 +C |
|------------------|-------------------|---------------------|
| 6 | • | |
| 7 | | • |
| 8 | • | • |
| 9 | • | • |
| 10 | • | • |
| 12 | • | • |
| 14 | • | • |
| 15 | • | • |
| 16 | • | • |
| 17 | | • |
| 18 | • | • |
| 19 | | • |
| 20 | • | • |
| 22 | • | • |
| 24 | • | |
| 25 | • | • |
| 26 | • | |
| 27 | • | • |
| 28 | | • |
| 30 | • | • |
| 32 | • | • |
| 35 | • | • |
| 36 | • | • |
| 40 | • | • |
| 45 | • | • |
| 50 | • | • |
| 55 | • | • |
| 60 | • | • |
| 65 | • | • |
| 70 | • | |
| 72 | | • |
| 75 | • | • |
| 80 | • | • |
| 85 | • | • |
| 90 | • | • |
| 100 | • | • |

Automatenstahl
Sechskant

| Abmessung | 11SMn30 +C | 11SMnPb30 +C |
|------------------|-------------------|---------------------|
| 4 | | • |
| 5 | | • |
| 6 | | • |
| 7 | | • |
| 8 | | • |
| 9 | | • |
| 10 | • | • |
| 11 | | • |
| 12 | | • |
| 13 | • | • |
| 14 | • | • |
| 16 | | • |
| 17 | • | • |
| 19 | • | • |
| 22 | • | • |
| 24 | • | • |
| 27 | • | • |
| 30 | • | • |
| 32 | • | • |
| 36 | • | • |
| 41 | • | • |
| 46 | • | • |
| 50 | • | • |
| 55 | • | • |
| 60 | • | • |
| 65 | | • |
| 70 | • | • |
| 75 | • | • |
| 80 | | • |
| 85 | • | |
| 90 | • | |