

Walzstahl
Rund
Unlegierter Baustahl

Abmessung	S355J2 W.-Nr. 1.0045
20	•
25	•
30	•
32	•
35	•
38	•
40	•
42	•
45	•
50	•
55	•
60	•
65	•
70	•
70	•
75	•
80	•
85	•
85	•
90	•
95	•
100	•
105	•
110	•
115	•
120	•
125	•
130	•
135	•
140	•
145	•
150	•
160	•
170	•
180	•
190	•
200	•
210	•
220	•
230	•
240	•
250	•
260	•
270	•

280	•
300	•
310	•
320	•
330	•
350	•
360	•
380	•
400	•
420	•

**Walzstahl
Vierkant
Unlegierter Baustahl**

Abmessung		S355J2 W.-Nr. 1.0045
30	30	•
35	35	•
40	40	•
45	45	•
50	50	•
60	60	•
70	70	•
80	80	•
90	90	•
100	100	•
110	110	•
120	120	•
130	130	•
140	140	•
150	150	•
160	160	•
180	180	•
200	200	•
250	250	•

**Walzstahl
Flach
Unlegierter Baustahl**

Abmessung		S235JR W.-Nr. 1.0038	S355J2 W.-Nr. 1.0045
20	4	•	
20	5	•	
20	8	•	
20	10	•	
25	4	•	

25	5	•	
25	6	•	
25	8	•	
30	5	•	
30	6	•	
30	8	•	
30	10	•	
30	20		•
35	8	•	
40	5	•	
40	6	•	
40	8	•	
40	10	•	
40	15		•
40	30		•
50	5	•	
50	6	•	
50	8	•	
50	10	•	
50	15	•	•
50	30		•
50	40		•
60	5	•	
60	6	•	
60	8	•	
60	10	•	
60	15	•	
60	20		•
60	40		•
70	10	•	
70	20		•
70	30		•
70	50		•
80	8	•	
80	10	•	
80	15	•	
80	30		•
80	40		•
80	50		•
80	60		•
90	8	•	
90	10	•	
90	20		•
90	30		•
90	40		•
100	8	•	
100	10	•	
100	12	•	
100	15	•	
100	20		•

100	25	•
100	40	•
100	60	•
100	70	•
120	25	•
120	30	•
120	40	•
120	50	•
120	60	•
120	80	•
150	30	•
160	20	•
180	40	•
200	25	•
200	30	•
200	40	•
200	50	•

**Walzstahl
Winkel
Unlegierter Baustahl**

Abmessung			S235JR W.-Nr. 1.0038
20	20	3	•
25	25	3	•
25	25	4	•
30	30	3	•
30	30	4	•
35	35	4	•
40	20	4	•
40	40	4	•
40	40	5	•
40	40	6	•
50	50	5	•
60	30	5	•
60	40	7	•
60	60	6	•
80	80	8	•
100	50	8	•
100	100	10	•

Walzstahl
Vierkant
Vergütungs-, Qualitäts- und Nitrierstahl

Abmessung		C45 W.-Nr. 1.0503	42CRMO4 +QT W.-Nr. 1.7225
20	20	•	•
25	25	•	•
30	30	•	•
35	35	•	•
40	40	•	•
45	45	•	•
50	50	•	•
55	55	•	•
60	60	•	•
65	65	•	•
70	70	•	•
80	80	•	•
85	85	•	•
90	90	•	•
100	100	•	•
110	110	•	•
120	120	•	•
130	130	•	•
140	140	•	•
150	150	•	•
160	160	•	•
180	180	•	•
200	200	•	•
220	220	•	•
250	250	•	•

Walzstahl
Flach
Vergütungs-, Qualitäts- und Nitrierstahl

Abmessung		C45 W.-Nr. 1.0503	42CRMO4 +QT W.-Nr. 1.7225
20	15	•	•
30	10	•	•
30	15	•	•
30	20	•	•
40	10	•	•
40	12	•	•
40	15	•	•
40	20	•	•
40	25	•	•
40	30	•	•
50	10	•	•
50	15	•	•
50	20	•	•
50	25	•	•
50	30	•	•
50	35	•	•
50	40	•	•
60	10	•	•
60	15	•	•
60	20	•	•
60	25	•	•
60	30	•	•
60	40	•	•
60	50	•	•
70	20	•	•
70	25	•	•
70	30	•	•
70	40	•	•
70	50	•	•
80	10	•	•
80	15	•	•
80	20	•	•
80	25	•	•
80	30	•	•
80	40	•	•
80	50	•	•
80	60	•	•
90	15	•	•
90	30	•	•
90	40	•	•
90	50	•	•
90	60	•	•
100	10	•	•
100	15	•	•
100	20	•	•
100	25	•	•
100	30	•	•
100	40	•	•
100	50	•	•
100	60	•	•
100	70	•	•
100	80	•	•
120	15	•	•
120	20	•	•
120	25	•	•
120	30	•	•
120	40	•	•

120	50	•	•
120	60	•	•
120	80	•	
130	20	•	
130	30	•	
130	40	•	
130	50	•	
130	60	•	
130	70	•	
130	100	•	
140	25	•	
150	15	•	
150	20	•	
150	25	•	
150	30	•	•
150	40	•	
150	50	•	•
150	60	•	
150	80	•	•
150	100	•	•
160	30	•	
160	40	•	
160	50	•	
160	60	•	
180	20	•	
180	30	•	
200	15	•	
200	20	•	
200	30	•	
200	40	•	
200	50	•	
200	60	•	
220	20	•	
250	25	•	
250	30	•	
250	40	•	
300	20	•	
300	30	•	
300	50	•	

Einsatzstahl Rund						
Abmessung	18CRNIMO7-6 +H W.-Nr. 1.6587	18CRNIMO7-6 +A W.-Nr. 1.6587	16MNCR5 +H W.-Nr. 1.7131	16MNCR5 +H+N W.-Nr. 1.7131	16MNCR5 +HW+N W.-Nr. 1.7131	ESP65 W.-Nr. 1.7131
18			•			
20			•			
22			•			
25			•			
28			•			
30			•			
32			•			
35			•			
38			•			
40			•			•
42			•			
45			•			•
50		•	•			
52						•
55			•			
60		•	•	•		
65			•			•
70		•	•	•		•
75			•			•
80	•	•	•	•		•
85			•			•
90		•	•	•		•
95			•			•
100		•	•	•		
105			•			•
110		•	•	•		•
115			•			•
120		•	•	•		
125			•			•
130		•	•	•		•
140	•	•	•	•		•
150		•	•	•		•
160		•	•	•		•
170		•	•	•		
180		•	•	•		
190		•	•	•		
200		•	•	•		
210		•	•	•		
220		•	•	•		
230		•	•	•		
240			•			
250		•	•	•		
260		•	•	•		
270			•			
280		•	•	•		
290			•			
300		•	•			
320					•	
340					•	

350	•	•
360		•
380		•
400		•
420		•
450		•
470	•	•
480		•

**Einsatzstahl
Vierkant**

Abmessung		16MNCr5 +H+N W.-Nr. 1.7131
15	15	•
20	20	•
25	25	•
30	30	•
35	35	•
40	40	•
45	45	•
50	50	•
55	55	•
60	60	•
65	65	•
70	70	•
80	80	•
90	90	•
100	100	•
110	110	•
120	120	•
130	130	•
150	150	•
160	160	•
180	180	•
200	200	•
250	250	•

**Einsatzstahl
Flach**

Abmessung		16MNCr5 +H+N W.-Nr. 1.7131	16MNCr5 +HW W.-Nr. 1.7131
20	10	•	
20	15	•	
25	10	•	
25	12	•	
25	15	•	
25	20	•	
30	10	•	
30	12	•	
30	15	•	
30	20	•	
30	25	•	
35	20	•	
40	10	•	
40	12	•	
40	15	•	
40	20	•	
40	25	•	
40	30	•	
50	10	•	
50	15	•	
50	20	•	
50	25	•	
50	30	•	
50	40	•	
60	10	•	
60	12	•	
60	15	•	
60	20	•	
60	25	•	
60	30	•	
60	40	•	
60	50	•	
70	10	•	
70	15	•	
70	20	•	
70	25	•	
70	30	•	
70	40	•	
70	50	•	
80	10	•	
80	15	•	

80	20	•	
80	25	•	
80	30	•	
80	40	•	
80	50	•	
80	60	•	
90	20	•	
90	25	•	
90	30	•	
90	40	•	
90	50	•	
90	60	•	
100	10	•	
100	15	•	
100	20	•	
100	25	•	
100	30	•	
100	40	•	
100	50	•	
100	60	•	
100	70	•	
100	80	•	
110	15	•	
110	25	•	
110	30	•	
120	15	•	
120	20	•	
120	25	•	
120	30	•	
120	40	•	
120	50	•	
120	60	•	
120	80	•	
130	20	•	
130	25	•	
130	40	•	
130	50	•	
130	70	•	
130	80	•	
140	20	•	
140	30	•	
140	40	•	
140	50	•	
140	60	•	
150	20	•	
150	25	•	
150	30	•	
150	40	•	
150	50	•	
150	60	•	
150	80	•	
150	100	•	
160	20	•	
160	30	•	
160	40	•	
160	80	•	
160	120	•	
180	30	•	
180	40	•	
180	60	•	
200	20	•	
200	25	•	
200	30	•	
200	40	•	
200	50	•	
200	60	•	
200	80	•	
200	100	•	
200	120	•	
220	100	•	
250	20	•	
250	25	•	
250	30	•	
250	40	•	
250	50	•	
250	60	•	
250	80	•	•

**Walzstahl
Rund
Kugellagerstahl**

Abmessung	100 CR 6 +H W.-Nr. 1.3505	100 CR 6 +HW W.-Nr. 1.3505
65	•	
70	•	
75	•	
80	•	
85	•	
90	•	
100	•	
110	•	
120	•	
130	•	
140	•	
150	•	
160	•	
180	•	
190	•	
200	•	
220		•
250		•
300		•

**Walzstahl
Rund
Kugellagerstahl**

**Rund
Warmfester Baustahl**

Abmessung	P250GH W.-Nr. 1.0460
25	•

**U-Stahl
gewalzt**

Abmessung		S235JR EN 10279	S235JR FORMSTAHL U80	S235JR FORMSTAHL U100	S235JR FORMSTAHL U120
30	15	4	•		
40	20	5	•		
50	25	5	•		
50	38	5	•		
65	42	5,5	•		
80	45	6		•	
100	50	6			•
120	55	7			