

**Blankstahl  
Flach**

Abmessung		S235JRC +C	S355J2C +C	C45 +C
6	1,5	•		
6	2	•		
6	3	•		
8	1,5	•		
8	2	•		
8	3	•		
8	4	•		
8	5	•		
8	6	•		•
10	1	•		
10	2	•		
10	3	•		
10	4	•		
10	5	•		•
10	6	•		•
10	8	•		
12	2	•		
12	3	•		
12	4	•		
12	5	•		•
12	6	•		•
12	8	•		
12	10	•		
14	2	•		
14	4	•		
14	5	•		
14	8	•		
14	10	•		
14	12	•		
15	2	•		
15	3	•		
15	4	•		
15	5	•		
15	6	•		
15	8	•		•
15	10	•		•
15	12	•		
16	3	•		
16	4	•		
16	5	•		•
16	6	•		•
16	8	•		•
16	10	•		
16	12	•		•
18	2	•		

**Blankstahl  
Flach**

Abmessung		S235JRC +C	S355J2C +C	C45 +C
18	4	•		
18	5	•		
18	6	•		
18	8	•		
18	10	•		
18	12	•		•
18	14			•
18	16	•		
20	2	•		
20	2,5	•		
20	3	•		
20	4	•		
20	5	•		•
20	6	•		•
20	8	•		•
20	10	•	•	•
20	12	•		
20	14	•		
20	15	•	•	•
20	16	•		•
20	18	•		
22	3	•		
22	4	•		
22	5	•		
22	6	•		
22	8	•		
22	10	•		
22	12	•		
22	16	•		
22	20	•		
24	3	•		
24	10	•		
25	2	•		
25	3	•		
25	4	•		
25	5	•		
25	6	•		
25	8	•		•
25	10	•	•	•
25	12	•		•
25	14	•		
25	15	•		•
25	16	•		•
25	18	•		•
25	20	•		•

**Blankstahl  
Flach**

Abmessung		S235JRC +C	S355J2C +C	C45 +C
28	5	•		
28	8	•		
28	10	•		
28	12	•		
28	15	•		
28	16	•		
30	2	•		
30	3	•		
30	4	•		
30	5	•		•
30	6	•		•
30	8	•		•
30	10	•		•
30	12	•	•	•
30	14	•		
30	15	•		•
30	16	•		
30	18	•		•
30	20	•	•	•
30	22	•		
30	25	•		•
32	5	•		
32	6	•		
32	8	•		
32	10	•		
32	12	•		
32	16	•		
32	20	•		
32	25	•		•
35	3	•		
35	4	•		
35	5	•		
35	6	•		
35	10	•		•
35	12	•		•
35	15	•		•
35	16	•		•
35	18	•		
35	20	•		•
35	25	•		•
35	30	•		•
36	8	•		
36	12	•		
36	20	•		
40	2	•		

**Blankstahl  
Flach**

Abmessung		S235JRC +C	S355J2C +C	C45 +C
40	3	•		
40	4	•		
40	5	•		•
40	6	•		•
40	8	•		•
40	10	•		•
40	12	•		•
40	15	•	•	•
40	16	•		
40	18	•		
40	20	•	•	•
40	22	•		
40	25	•		•
40	30	•	•	•
40	32	•		
40	35	•		
45	5	•		
45	6	•		
45	8	•		•
45	10	•		•
45	12	•		
45	15	•		•
45	16	•		
45	20	•		•
45	25	•		
45	30	•		•
45	32	•		
45	35	•		
45	40	•		
50	2	•		
50	3	•		
50	4	•		
50	5	•		
50	6	•		•
50	8	•		•
50	10	•	•	•
50	12	•	•	•
50	15	•		•
50	16	•		•
50	18	•		
50	20	•	•	•
50	25	•	•	•
50	30	•	•	•
50	35	•		•
50	40	•	•	•

**Blankstahl  
Flach**

Abmessung		S235JRC +C	S355J2C +C	C45 +C
50	45	•		
55	5	•		
55	6	•		
55	8	•		
55	10	•		
55	12	•		
55	15	•		
55	20	•		
55	25	•		
55	30	•		
55	35	•		
60	2	•		
60	3	•		
60	4	•		
60	5	•		
60	6	•		•
60	8	•		•
60	10	•		•
60	12	•		•
60	15	•	•	•
60	16	•		
60	18	•	•	
60	20	•	•	•
60	25	•	•	•
60	30	•	•	•
60	35	•		
60	40	•	•	•
60	45	•		
60	50	•		•
63	10	•		
63	32	•		
65	3	•		
65	8	•		
65	10	•		
65	12	•		
65	15	•		
65	20	•		
65	25	•		
65	30	•		
70	3	•		
70	5	•		
70	6	•		
70	8	•		
70	10	•		•
70	12	•		•

**Blankstahl  
Flach**

Abmessung		S235JRC +C	S355J2C +C	C45 +C
70	15	•	•	•
70	16	•		
70	20	•		•
70	25	•		•
70	30	•	•	
70	32	•		
70	35	•		
70	40	•	•	•
70	50	•	•	•
75	5	•		
75	6	•		
75	8	•		
75	10	•		
75	12	•		
75	15	•		
75	20	•		
75	25	•		
80	3	•		
80	4	•		
80	5	•		
80	6	•		
80	8	•		
80	10	•		•
80	12	•		•
80	15	•	•	•
80	16	•		•
80	20	•	•	•
80	25	•		•
80	30	•	•	•
80	32	•		
80	35	•		
80	40	•	•	•
80	50	•		•
80	60	•	•	•
90	4	•		
90	5	•		
90	6	•		
90	8	•		
90	10	•		
90	12	•		
90	15	•		•
90	16	•		
90	20	•		•
90	25	•		•
90	30	•		•

**Blankstahl  
Flach**

Abmessung		S235JRC +C	S355J2C +C	C45 +C
90	40	•		•
90	50	•		•
90	60	•		
100	3	•		
100	4	•		
100	5	•		
100	6	•		
100	8	•		•
100	10	•		•
100	12	•		•
100	15	•		•
100	16	•		
100	20	•	•	•
100	25	•		•
100	30	•	•	•
100	32	•		
100	35	•		
100	40	•		•
100	50	•	•	•
100	60	•	•	•
100	80		•	
110	5	•		
110	6	•		
110	8	•		
110	10	•		
110	12	•		
110	15	•		
110	20	•	•	
110	25	•		
110	30	•		
110	40	•		
120	5	•		
120	6	•		
120	8	•		
120	10	•		
120	12	•		
120	15	•		•
120	16	•		
120	20	•	•	•
120	25	•		
120	30	•		•
120	35	•		
120	40	•	•	•
120	50	•	•	•
120	60	•		

**Blankstahl  
Flach**

Abmessung		S235JRC +C	S355J2C +C	C45 +C
125	5	•		
125	8	•		
125	10	•		
125	12	•		
125	15	•		
125	20	•		
125	25	•		
125	30	•		
130	6	•		
130	8	•		
130	10	•		
130	12	•		
130	15	•		
130	20	•		
130	25	•		
130	30	•		
130	40	•		
140	6	•		
140	8	•		
140	10	•		
140	12	•		
140	15	•		•
140	16	•		
140	20	•		•
140	25	•		
140	30	•		
140	40	•		
150	5	•		
150	6	•		
150	8	•		
150	10	•		•
150	12	•		
150	15	•		•
150	20	•		•
150	25	•		•
150	30	•		•
150	40	•		•
150	50	•		•
150	60	•		
160	8	•		
160	10	•		
160	12	•		
160	15	•		
160	16	•		
160	20	•		



**Blankstahl  
Flach**

Abmessung		S235JRC +C	S355J2C +C	C45 +C
160	25	•		
160	30	•		
160	40	•		
160	50	•		
180	8	•		
180	10	•		
180	12	•		
180	15	•		
180	20	•	•	
180	25	•		
180	30	•		
180	40	•		
200	5	•		
200	6	•		
200	8	•		
200	10	•		
200	12	•		
200	15	•		
200	16	•		
200	20	•		
200	25	•		•
200	30	•		•
200	40	•		
200	50	•		
200	60	•		
220	8	•		
220	10	•		
220	12	•		
220	15	•		
220	20	•		
220	25	•		
220	30	•		
250	8	•		
250	10	•		
250	12	•		
250	15	•		
250	20	•		
250	25	•		
250	30	•		
250	40	•		
250	50	•		
300	10	•		
300	12	•		
300	15	•		
300	20	•		

**Blankstahl  
Flach**

Abmessung		S235JRC +C	S355J2C +C	C45 +C
300	25	•		
300	30	•		
300	40	•		
300	50	•		
350	10	•		
350	12	•		
350	15	•		
350	20	•		
350	25	•		
350	30	•		
350	40	•		
400	10	•		
400	12	•		
400	15	•		
400	20	•		
400	25	•		
400	30	•		
400	40	•		
400	50	•		

Blankstahl  
Rund

Abmessung	S235JRC +C/+SH	S355J2C +C/+SH	C35 +C/+SH	C45 +C/+SH	S355J2C +SL h6	S355J2C +SL f7	C35Pb +C	C45Pb +C	C45 +SL f6	C45 +SL h6	C45Pb +SL h6	C45 +SL j6	C45 +SL f7	C60 +C/+SH
3	•													
4	•			•										
5	•			•				•						•
6	•		•	•							•			•
7	•			•										
8	•	•		•				•		•		•	•	
10	•	•	•	•			•			•			•	
12	•	•		•				•		•			•	
13	•			•						•			•	
14	•	•		•			•			•		•	•	
15	•	•	•	•						•			•	
16	•	•	•	•						•			•	
17	•			•						•			•	
18	•	•		•			•			•			•	
19	•			•						•			•	
20	•	•	•	•						•			•	
21	•			•						•			•	
22	•	•		•				•		•			•	•
23	•			•						•			•	
24	•	•	•	•						•			•	
24,98	•			•						•			•	
25	•	•	•	•		•	•			•			•	
26	•	•		•						•			•	
27	•			•						•			•	
28	•	•		•			•			•			•	
29,98	•			•						•			•	
30	•	•	•	•	•	•				•			•	
32	•	•	•	•						•			•	
33	•			•						•			•	
34	•			•						•			•	
35	•	•	•	•						•			•	
36	•	•	•	•						•			•	
38	•	•		•						•			•	
40	•	•	•	•					•	•			•	•
40,35	•			•						•			•	
42	•	•		•						•			•	
45	•	•	•	•			•		•	•			•	
46	•			•						•			•	•
48	•	•		•						•			•	
50	•	•	•	•						•			•	
50,35	•			•						•			•	
52	•	•		•						•			•	
55	•	•	•	•						•			•	
56	•			•						•			•	
58	•			•						•			•	
60	•	•	•	•						•			•	
62	•			•						•			•	
65	•	•	•	•						•			•	
70	•	•	•	•						•			•	
75	•	•		•						•			•	
80	•	•	•	•						•			•	
85	•	•		•						•			•	
90	•	•		•						•			•	
95	•	•		•						•			•	
100	•	•		•	•					•			•	
105	•	•		•						•			•	
110	•	•		•						•			•	
115	•	•		•						•			•	
120	•	•	•	•						•			•	
125	•	•		•						•			•	
130	•	•		•						•			•	
140	•	•		•						•			•	
150	•	•		•						•			•	
160	•	•		•						•			•	
180	•	•		•						•			•	
200	•	•		•						•			•	

**Blankstahl  
Vierkant**

<b>Abmessung</b>	<b>S235JRC +C</b>	<b>S355J2C +C</b>	<b>C45 +C</b>
2	•		
3			•
4	•		
5	•		
6			•
7	•		
8	•		•
9	•		
10	•		•
12	•		•
13	•		
14	•		•
15	•		•
16	•		•
18	•		•
20	•	•	•
22	•		•
24			•
25	•	•	•
30	•	•	•
32	•		•
35	•		•
36			•
40	•	•	•
45	•	•	•
50	•	•	•
55	•		•
60	•	•	•
65	•		•
70	•	•	
80	•	•	•
85			•
90	•		•
100	•	•	•
110	•		
120	•		•
130	•		
140	•		
150	•		

**Blankstahl  
Sechskant**

<b>Abmessung</b>	<b>S235JRC +C</b>	<b>C45 +C</b>
9	•	
10		•
11	•	•
12		•
13	•	•
14	•	•
17	•	•
19	•	•
22	•	•
24	•	•
25		•
27	•	•
30	•	•
32	•	•
36	•	•
41	•	•
46	•	•
50		•
55		•
60	•	•
65	•	•
75		•

**Blankstahl  
T-Stahl**

Abmessung			S235JRC +C
25	25	3	●
30	30	4	●

**Blankstahl  
U-Stahl**

Abmessung			S235JRC +C
20	20	2	●
30	25	5	●
40	20	5	●
40	40	5	●
40	40	7	●
50	20	5	●
60	40	5	●
70	40	8	●
80	45	8	●
120	40	8	●

Blankstahl			
Winkel gleichsch.			
Abmessung			S235JRC
			+C
10	10	2	●
15	15	2	●
15	15	3	●
15	15	4	●
20	20	2	●
20	20	3	●
20	20	4	●
20	20	5	●
25	25	2	●
25	25	3	●
25	25	4	●
25	25	5	●
30	30	3	●
30	30	4	●
30	30	5	●
35	35	5	●
40	40	4	●
40	40	5	●
40	40	6	●
45	45	5	●
50	50	5	●
50	50	6	●
60	60	6	●
70	70	8	●
70	70	10	●
80	80	8	●
80	80	10	●
100	100	8	●
100	100	10	●
120	120	12	●



Blankstahl			
Winkel ungleichsch.			
Abmessung			S235JRC
			+C
20	10	3	●
20	15	3	●
25	15	3	●
30	15	3	●
30	20	3	●
30	20	4	●
40	20	3	●
40	20	4	●
40	20	5	●
45	10	3	●
45	30	4	●
45	30	5	●
45	30	6	●
50	20	4	●
60	30	5	●
60	40	5	●
60	40	6	●
80	40	6	●
80	40	8	●
100	50	10	●
130	65	10	●
150	75	12	●

**Blankstahl  
Keilstahl**

**Abmessung** **C45  
+C**

8	7	●
10	8	●
12	8	●
12	10	●
14	6	●
14	9	●
16	10	●
18	11	●
20	12	●
22	14	●
25	14	●
28	16	●
32	18	●
36	20	●
40	22	●
45	25	●
50	28	●
56	32	●
63	32	●
70	36	●
80	40	●